



Mailing
Postage Meters

DM450™ SL Digital postage meter

Connected metering for maximised productivity.



Experience mailroom productivity and greater ease of use.

The DM450™ SL Digital postage meter uses the very latest technologies to achieve fast, connected and accurate mail processing... all within a connected environment.



Simplify your mailing operations with SmartLink working behind the scenes so your mailing system stays up-to-date.

Boost productivity with digital technology.

Maximum productivity and connectivity is crucial for business today. The DM450 SL Digital postage meter uses the very latest technologies to achieve fast and accurate mail processing... all in a space-saving footprint.

Enjoy the capabilities of a fully functional mail centre while saving both time and money with the advanced features of the DM450 SL postage meter.

Mailing made simple with SmartLink™.

Keeping the DM450 SL current and operating at maximum efficiency is simple. SmartLink™ gives you a digital connection to make it easy and convenient to update postal rates, software and graphics.

Manage your mail efficiently and accurately.

- Automatic feeder speeds processing.
- Process up to 120 letters per minute.

User-friendly control centre.

The easy, step-by-step instructions take you through processing with an expanded 7-line graphics display, dedicated functions, labeled keys and a QWERTY keyboard.

Internal rating function.

Select the most effective and economical postage rate automatically.

Instant online refill postage.

Access postage replenishment online, 24/7.

Auto-dating eliminates returned mail.

The internal clock automatically changes the date. With the manual option, you can advance the date when processing mail for a later delivery.

Handle rate changes with ease.

Digital technology allows postage rate changes to occur with a simple download.

Stay current, now and in the future.

The digital meter indicia satisfies all current postal regulations, and the technology's flexibility makes the DM450 SL postage meter adaptable for the future.

Integrated weighing ensures correct postage.

The DM450 SL postage meter has a 5kg integrated scale as standard, with the option of increasing the capability to 7kg, 12kg or 35kg with an interfaced scale.



Specifications

Size	W 838mm x D 445mm x H 312mm (dimensions exclude stacking tray)
Weight	13.0kg approximate
Electrical	240VAC, 50/60Hz, .65-3A
Max speed	Up to 120 letters per minute
Media sizes	Min 89mm x 127mm, Max 330mm x 381mm
Media thickness	Min .2mm, Max 8mm
Tape	Auto strip up to 50 tapes
Job presets	10
Optional weighing	7kg, 12kg, or 35kg
Approvals	UL approved, FCC compliant
Connectivity requirement	Internet/Ethernet standard, WiFi and cellular WiFi compatible
Internet enabled	Yes
Postal compliance	Australia Post metering standards compliant
Postal credit account linking	Yes
SmartLink™	Internet-enabled updates and monitoring of critical alerts, low ink and device functionality

Australia

Level 1, 68 Waterloo Road
Macquarie Park NSW 2113
13 23 63
pitneybowes.com/au

New Zealand

Building B, Unit 1 & 4
72 Apollo Drive
Rosedale
Auckland 0632
0800 748 639
pitneybowes.com/nz

[For more information, call or visit us online.](#)