

# **HIGH PERFORMANCE TECHNOLOGY**



C368/C308/C258

# Meeting the demands of your dynamic work environment

As your workforce becomes increasingly mobile, your staff and colleagues are looking for greater flexibility. You need to connect seamlessly, so you can focus on whatever you do best. In this new environment, collaboration is key. That's why innovative technology is embedded within our new multi-function printers (MFPs).



### Simple, flexible and easy to use

We've engineered our new compact A3 bizhub C368, bizhub C308 and bizhub C258 MFPs to allow effortless printing and scanning via the very latest mobile devices. Thanks to our new PageScope mobile application, this is achieved in the simplest possible way. To use the bizhub MFP, the user

simply touches their mobile device against the Mobile Touch Area on the front panel. This enables someone to either print directly from the mobile device – or save scanned data from the bizhub through the mobile application.



### Intuitive touch screen operations

The bizhub C368/C308/C258 models are very easy to operate, thanks to our intuitive INFO-Palette design, and the new 9-inch touch panel. Functions can be selected with natural swipe, pinch, zoom, drag and drop gestures – just like smart devices. We have continued to refine our technology, so

users can benefit from the improved navigation with horizontal scrolling and pop-up menus. Frequently used settings can be saved on the main screen. For security, a PIN-based system can be used to hold jobs until the authorised owner of the documents releases them.



### Share your ideas anytime, anywhere

With increased workplace mobilty. People are creating and showing information in many exciting new ways. That's why we've incorporated a

full suite of connectivity options. The latest industry-leading wireless, mobile and cloud-based services are also supported. For maximum flexibility, you can print and scan via:



Apple AirPrint

Enables printing from a Mac or iOS mobile devices



Mopria Print Service

Enables printing from Android smartphones or tablets



Google Cloud Print

Share the printer over the web with anyone you choose



**Direct Print** 

Print emails and attachments directly from the local network  $% \left( 1\right) =\left( 1\right) \left( 1\right)$ 



PageScope Mobile Application

Print and scan documents, photos and images to and from a mobile device via Wi-Fi



Wireless LAN

Greater connectivity in challenging installation environments

You can also use Wi-Fi Direct, which enable any compatible mobile device to connect on a Peer-to-Peer basis, without relying on the company network.



# Tailor functions to suit your workflow

The innovative new soft and hard menu keys enable the device to understand what you require. And by using the widget function, you can configure menus to display your choice of communications, usage rules and warnings. You'll also enjoy greater flexibility with a remarkably wide range of scan file formats to suit your needs. The modular design and configurations provide a wide range of configurable options.

The iOption accessories allow scanning to OOXML file formats such as PowerPoint or text-searchable file formats so that you can have a wider ability to integrate your documents with your workflow and document management systems. This can give you more advanced document workflow integration, for greater workplace efficiencies.

# Stronger, smarter and more secure

The bizhub C368/C308/C258 offers greater security, advanced authentication

and print management solutions, optional hard disk mirroring, and document protection technology.

All underpinned by a powerful combination of embedded technologies – including a dual core CPU, Emperon Controller, Simitri Toner Technology and a LED-scanning unit. Build quality is impressive, and these are rigorously tested devices, engineered to go the distance.

# Fast speeds and bright colour output

With increased workforce mobility, there are ever-greater demands for speed and efficiency. That's why the bizhub C368 delivers its brilliant full colour output at 36 pages per minute (30ppm for bizhub C308, 25ppm for bizhub C258) at A4 size.

Its 1800 x 600 enhanced dpi print resolution, or 1200 x 1200 real dpi produces vibrant colour office communications, and brings your ideas to life. It also offers high quality scanning at up to 600 dpi. A wide range of print and scan sizes are supported, up to A3. Your business will benefit from more powerful performance, and high quality output with greater impact.

### **Helping your business thrive**



Konica Minolta's multi-functional printers deliver the class-leading image quality you have come to expect from

Konica Minolta. Overall, they offer many benefits for a demanding office environment – such as cost management, workplace efficiency, security and better environmental performance. They'll help your business grow – and bring your ideas to life.

### **Reduced environmental footprint**



process, we have taken great care to follow industry best practice with the use of recycled materials, bioplastics and advanced chemical processing technologies.

### A true technology innovator



Konica Minolta invests continually in research and development in order to deliver inspiring products and give

shape to ideas. Globally recognised for its award winning products, we work closely with businesses to deliver a range of multifunctional digital

imaging solutions for document scanning, printing and electronic archiving and distribution. This consultative approach can help you further improve efficiency, cut costs, strengthen security and reduce your impact on the environment.

# **Easy connectivity**

# Access

### Connect with mobile devices

Enjoy a flexible mobile work style by using bizhub C368/C308/C258 together with iOS, Android and Windows 10 mobile devices. Users can take advantage of printing and other bizhub features through their favourite industry standard mobile technologies (see below).

### Convenient Mobile Touch Area

Pair Android mobile devices<sup>\*1</sup> with bizhub C368/C308/C258 by simply holding them close to the Mobile Touch Area on the multitouch screen. NFC (Near Field Communication) ensures smooth, quick connections. The Mobile Touch Area can also be used to log in, print files, scan documents and import scanned data.<sup>\*2</sup> iOS devices pair using Bluetooth LE (BLE).<sup>\*3</sup>

- \*1 Android OS 4.4 or higher and Konica Minolta Mobile Print must be installed.
- \*2 Initial setup required for logging in. Wireless LAN environment required for printing and scanning.
- \*3 Optional Device Connection I/F Kit EK-609 is required.

### bizhub Remote Access

The bizhub Remote Access app allows operation of bizhub C368/C308/C258 from Android devices and iPhone/iPad/iPod touch. Users can wirelessly operate bizhub hardware and software keys, enter data, import scanned data and send data using the mobile device's address book and more.

### Wireless LAN\*

Access Point mode and Simple Access Point mode via Wireless LAN allow computers and mobile devices in your office to wirelessly connect with bizhub C368/C308/C258. This creates a fully independent network that supports BYOD (bring your own device) without additional investment. Connection with your company's existing wireless LAN is also supported.

\* Optional Upgrade Kit UK-212 or UK-215 is required.




### AP mode and Simple AP mode (Wireless LAN)



Up to 5 devices can access bizhub C368/C308/C258 simultaneously in AP mode with UK-212 equipped. Up to 4 devices can access bizhub C368/C308/C258 simultaneously in Simple AP mode with UK-215.

# Connect instantly without print drivers to industry standard mobile technologies





## **Optional finishers**

Three optional finishers are available for post-processing tasks. Optional finishers FS-534 and FS-534SD include stapling functions (up to 50 sheets), a 3,000-sheet capacity unit (2,000 sheets on FS-534SD), booklet functions, folding functions and more. Optional inner finisher FS-533 handles stapling from within compact bizhub dimensions.

Features	Finishing image	FS-534*1,2	FS-534SD*1,2	FS-533	JS-506
Sorting (offset sorting)	Paper output position is shifted for each set	0	0	0	0
Stapling	Corner stapling (diagonal) Corner stapling (parallel) <sup>3</sup> Corner stapling (parallel) <sup>3</sup>	Thin/normal (52 – 90g/m²): 50 sheets Thick (91 – 120g/m²): 30 sheets Extra thick (121 – 209g/m²): 15sheets	Thin/normal (52 – 90g/m²): 50 sheets Thick (91 – 120g/m²): 30 sheets Extra thick (121 – 209g/m²): 15sheets	Max. 50 sheets <sup>™</sup> (52 – 90g/m²)	-
Saddle stitching (booklet) & folding	Booklet Centre-fold Tri-fold	-	Max. 20 sheets	-	-
Punching	Two-hole punch Upper two-hole punch	Punch kit PK-520 (up to 300g/m²)	Punch kit PK-520 (up to 300g/m²)	Punch kit PK-519 (up to 157g/m²)	-
Cover sheet & insert sheet	Cover sheet	0	0	0	0

<sup>\*1</sup> Paper output to the main body is possible. Up to three output destinations can be set. \*2 Relay unit RU-513 is required. \*3 Parallel stapling is only compatible with A3, A4/B5 vertical and A4/A5 horizontal on FS-534/FS-534SD.

<sup>\*4</sup> Diagonal corner stapling is not possible.

# Minimal environmental impact


### Low power consumption

bizhub C368/C308/C258 minimises energy use during normal operation. It easily clears the latest Energy StarProgram TECstandards and reduces both CO<sub>2</sub> emissions and TCO.

### TEC values (kWh)

4 ------


3



<sup>\*</sup>Values for 220-240V

### Sleep mode

bizhub C368/C308/C258 automatically switches to sleep mode after a user-defined period of inactivity. This mode reduces power consumption to a mere 0.5W by cutting off power to the CPU. When users want to use bizhub C368/C308/C258 again, it switches back to full power in seconds.



### Eco-friendly materials

Approximately 78% of the outer surfaces and 25% of the weight of resin parts consist of recycled materials.

This includes PC/PET developed by Konica Minolta using advanced chemical processing technology.

70% of PC/PET on surfaces within the unit is PCR (post-consumer recycled).



 $<sup>{}^{\</sup>star}\text{TEC values applied} to the International Energy Star Program Version 2.0$ 



### MFP bizhub C368/C308/C258

### COLOUR MID-VOLUME MULTIFUNCTION PRINTER

### **General Specifications**

Type		Desktop Full Colour Pri	inter / Copier / Scanne	er	
Colour Support		Full colour			
Copy Resolution	Scan	Main: 600 dpi x Sub: 6	600 dpi		
	Print	1,800 dpi (equivalent) × 600 dpi			
Gradation		256			
Memory Capacity (S	Std./Max.)	4 GB			
HDD		250 GB			
Original Type		Sheets, Books, Objects			
Max. Original Size		A3 (11" × 17")			
Output Size		Main unit: SRA3*1, A3 to A5,			
		12-1/4" × 18" (A3 wide (311.1 mm × 457.2 mm)),			
		11" × 17" to 8-1/2" × 11", 5-1/2" × 8-1/2", 8" × 13"2, 16K, 8K			
		Bypass Tray: SRA3, A3 to A5, B6°3, A6°3, 12" × 18" (A3 wide (311.1 mm × 457.2 mm)), 11" × 17" to 5-1/2" × 8-1/2'			
		8" × 13" <sup>-4</sup> , 16K, 8K, P			
				h: 210 mm to 297 mm	
				,200 mm (18" to 47-1/4")) <sup>16</sup>	
Image Loss		Max. 4.2mm or less for			
ii ilage Loos		Max. 3.0mm or less for			
		Max. 3.0mm or less for			
		*A loss of 4.2 mm each dur			
Warm-Up Time*7 (2)		Colour/B&W: 20 sec.	or less		
* The time required to star	t printing when both the main				
	witches are turned from OFF to ON.		I a		
* The time required to sta	art printing when the main d the sub-power switch is turned	Colour/B&W:	Colour/B&W: 18 se	c. or less	
from OFF to ON.	The aup-power switch is turned	20 sec. or less			
First Copy Out	Colour	6.9 sec. or less	7.3 sec. or less	7.5 sec. or less	
Time*8	B/W	5.3 sec. or less	5.6 sec. or less	6.1 sec. or less	
Copy Speed (Colou		36 ppm	30 ppm	25 ppm	
Сору ореса (сою	Fixed Same Magnification		оо ррпп	ZO ppiii	
Magnification		1: 1±0.5% or less	(0.000		
iviagi illication	Scaling Up	1: 1.154/1.224/1.414/2.000			
	Scaling Down	1: 0.866/0.816/0.707/0.500			
	Preset	3 types			
	Zoom	25 to 400% (in 0.1% increments)			
	Lengthwise Crosswise	25 to 400% (in 0.1% increments)			
D	Individual Settings				
Paper Capacity (80 g/m²)	Tray 1	500 sheets (up to A3)			
(60 g/11r)	Tray 2	500 sheets (up to SRA			
Max. Paper Capacit	Multiple Bypass Tray	150 sheets (up to SRA3)			
		6,650 sheets			
Paper Weight	Tray 1 / 2	52 to 256 g/m²			
Multiple Open	Multiple BypassTray	60 to 300 g/m <sup>2</sup> 1 to 9,999 sheets			
Multiple Copy	D Ci	SRA3, A3 to A5, B6 <sup>-3</sup> ,	A C*3		
Auto Duplex	Paper Size	12-1/4" × 18" (A3 wide		mm)\ 11" 17"3 to	
		5-1/2" × 8-1/2" <sup>3</sup> , 7-1/			
		Postcard (A6 (4" × 6" (		,	
	Paper Weight	52 to 256 g/m²			
Power Requirements		AC220 to 240 V 8.0 A (50/60 Hz)			
Max. Power Consur		1.5 kW or less			
Dimensions [W] × [C		615 × 685 × 779 mm (24-3/16" × 27-15/16" × 30-11/16")			
Weight	4 > 1-1	Approx. 85 kg (187-3/8 lb)			
Space Requirements [W] × [D]*10		937 × 1,214 mm (36-			
1 SRA3 paper can be					
	s of foolscap: 8-1/2" × 13-1/2" <sup>2</sup> .	, 8-1/2" × 13" <sup>-2</sup> , 8-1/4" × 13	"2, and 8" × 13"2.		
	izes is selectable. For details, co				
3 Short edge feed					
	of foolscap: 8-1/2" x 13-1/2"3, 2			3-1/8" × 13-1/4""3, and 8" × 13	
	izes is selectable. For details, co			and the state of t	
		pe, storage or environment	tnat exists when envelo	pe printing is carried out.	
5 Wrinkles or printing		om o DC			
<ul><li>Wrinkles or printing</li><li>Printing on banner</li></ul>	paper can only be performed fr				
Wrinkles or printing Printing on banner May vary dependin	paper can only be performed from the operating environment	and usage.	surface.		
Wrinkles or printing Printing on banner May vary depending	paper can only be performed fro g on the operating environment full size/using the first tray/scan	and usage.	surface.		

### Printer

Туре		Embedded		
CPU		ARM Cortex-A7 Dual-core 1.2GHz		
Memory		Shared with the copier		
Print Speed		Same as Copy Speed (when using the same original)		
HDD		250 GB (Shared with the copier)		
Print Resolution		1,800 dpi (equivalent) × 600 dpi (at smoothing) or		
		1,200 dpi x 1,200 dpi (in 1,200 dpi mode)		
PDL		PCL 6, PostScript 3 Emulation, XPS		
Protocol		TCP/IP, IPX/SPX (NDS support), SMB (NetBEUI), LPD, IPP1.1, SNMP,		
		AppleTalk		
Support OS		Windows Vista*1 / 7*1 / 8*1 / 8.1*1		
		Windows Server 2008*1 / 2008 R2 / 2012 / 2012 R2		
		Mac OS X (10.6 / 10.7 / 10.8 / 10.9 / 10.10)		
		Linux		
Fonts	PCL	80 Roman fonts		
	PS	137 Roman Type1 fonts		
Interface		Ethernet (10BASE-T/100BASE-TX/1000BASE-T),		
		USB 1.1, USB 2.0, IEEE 802.11 b/g/n*2, Bluetooth LE*2		

<sup>\*1</sup> Supports the 32-bit (x86) or 64-bit (x64) environment.
\*2 Optional

### Scanning

•			
Type		Full-Colour Scanner	
Interface		Ethernet (10BASE-T/100BASE-TX/1000BASE-T), IEEE 802.11 b/g/n*1	
Driver		TWAIN Driver, HDD TWAIN Driver	
Protocol		TCP/IP (FTP, SMB, SMTP, WebDAV) (IPv4/IPv6)	
Scanning Speed (Colour/B&W) (300 dpi, A4, Simplex)		80 opm*2	
Scanning Size		Max. A3 (11" × 17")	
Output Format		TIFF, JPEG, PDF, Compact PDF, XPS, Compact XPS, OOXML (pptx, xlsx*1, docx*1), Searchable PDF*1, PDF/A*1, Linearised PDF*1	
Scanning Resolution	Push	200 dpi / 300 dpi / 400 dpi / 600 dpi	
	Pull	100 dpi / 200 dpi / 300 dpi / 400 dpi / 600 dpi	
Main Functions		Scan to E-Mail, Scan to FTP, Scan to BOX (HDD), Scan to PC (SMB), Network TWAIIN, Scan to WebDAV, Scan to USB, Scan to Scan Server Scan to Web Service (WSD-Scan), Device Profile for Web Services (DPWS)	
Other Functions		Multi-Method Send, Authentication at the time of E-Mail send (SMTP authentication, POP before SMTP), S/MIME, Annotation	

<sup>\*1</sup> Optional

### Internet Fax

Protocol	TX: SMTP, RX: POP3, TCP/IP Simple mode		
Connection Mode	Full-Mode		
Sending Paper Size	A3, B4, A4		
Recording Paper Size	Max. A3		
Resolution	B/W: 200 × 100 dpi, 200 × 200 dpi, 400 × 400 dpi, 600 × 600 dpi		
	Colour: 200 × 200 dpi, 400 × 400 dpi, 600 × 600 dpi		
Interface	Ethernet (10BASE-T/100BASE-TX/1000BASE-T)		
Colour	Support Colour Internet Fax		
Format	B/W: TIFF-F Colour: TIFF (Conforms to RFC3949 Profile-C)		

### Fax Kit FK-514 (Optional)

Communication	Super G3
Compatible Lines	Public Switch Telephone Network, Private Branch Exchange, Fax Communication Line
Line Density	Ultra Fine: 600 dpi 600 dpi
	Super Fine: 16 dot/mm 15.4 line/mm, 400 dpi 400 dpi
	Fine: 8 dot/mm 7.7 line/mm, 200 dpi 200 dpi
	Normal: 8 dot/mm 3.85 line/mm
Modem Speed	2.4 to 33.6 kbps
Compression	MH/MR/MMR/JBIG
Sending Paper Size	Max. A3 (Long Length Support: Max.1,000 mm)
Recording Paper Size	Max. A3 (Long Length Max. 1,000 mm — following the page division —)
Transmission Speed	Less than 2 sec. (A4, V.34, 33.6 kbps, JBIG)
Memory	Shared with the copier
Number of Abbr. Dials	2,000
Number of Program Dials	400
Number of Group Dials	100
Sequential Multiple Station Transmission	Max. 600

### IP Address Fax \*Optional Fax Kit FK-514 is required.

Protocol Transmission	TCP/IP, SMTP
Sending Paper Size	A3, B4, A4
Resolution	200 × 200 dpi, 400 × 400 dpi, 600 × 600 dpi
Format	B/W: TIFF-F, TIFF-S Colour: TIFF, PDF



Konica Minolta Business Solutions Australia Pty Ltd

Free Call 1800 789 389 konicaminolta.com.au

### **New South Wales**

Konica Minolta House 4 Drake Avenue Macquarie Park NSW 2113 (02) 8026 2222

### **South Australia**

L184 Greenhill Road Wayville SA 5034 (08) 8231 2911

### **ACT**

1/55 Wentworth Avenue Kingston ACT 2604 (02) 6206 6500

### Queensland

Level 9, 100 Skyring Terrace Newstead QLD 4006 (07) 3872 9100

### **Victoria**

Level 5, 441 St Kilda Road Melbourne VIC 3004 (03) 8699 0777

### **Western Australia**

140 Hay Street Subiaco WA 6008 (08) 6380 3700

# bizhub C368/C308/C258



































1. Option





• Eco-conscious Toners • RoHS Compliance • Production at ISO Certified • WEEE Compliance Factories

### A Requirements for safe use.

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.
   Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly

### $Product \, appearance, configuration \, and/or \, specificants \, are \, subject \, to \, change \, without \, notice. \, and \, change \, without \, notice \, change \,$

The Konica Minolta logo and the symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, Page Scope, Simitri and the Symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, Page Scope, Simitri and the Symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, Page Scope, Simitri and the Symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, Page Scope, Simitri and the Symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, Page Scope, Simitri and the Symbol mark, are registered trademarks or trEmperon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Windows is registered trademark of Miscrosoft Corporation in the United States and other countries. Adobe and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated. All other brand and product names are registered trademarks or trademarks of their respective owners.